IN THE CLAIMS:

Please CANCEL claims 2, 9, 14 and 18 without prejudice.

Please AMEND claims 1, 3, 4, 5, 7, 10, 13, 15, 16, 19-21 and 23 as follows:

1. (Amended) A system for detecting and selectively removing virisbes in
data transfers, the system comprising:
a memory for storing data and routines, the memory having inputs and outputs,
the memory including a server for scanning data for a virus and
specifying data handling actions dependent on an existence of the virus;
a communications unit for receiving and sending data in response to control
signals, the communications unit having an input and an output; [and]
a processing unit for receiving signals from the memory and the
communications unit and for sending signals to the memory and
communications unit; the processing unit having inputs and outputs; the
inputs of the processing unit coupled to the outputs of memory and the
output of the communications unit; the outputs of the processing unit
coupled to the inputs of memory, the input of the communications unit,
the processor controlling and processing data transmitted through the
communications unit to detect viruses and selectively transfer data
depending on the existence of viruses in the data being transmitted[.];
a proxy server for receiving data to be transferred, the proxy server scanning
the data to be transferred for viruses and controlling transmission of the
data to be transferred according to preset handing instructions and the
presence of viruses, the proxy server having a data input, a data output

and a control output, the data input coupled to receive the data to be 21. transferred; and 22 a daemon for transferring data from the proxy server in response to control 23 signals from the proxy server, the daemon having a control input, a data 24 input and a data output, the control input of the daemon coupled to the 25 control output of the proxy server for receiving control signals, and the 26 data input of the daemon coupled to the data output of the proxy server 27 for receiving the data to be transferred. 28

 \sqrt{N}

3

4

1

2

3

4

1

2

3

4.

(Amended) The system of claim [2] 1, wherein the proxy server is a FTP proxy server that handles evaluation and transfer of data files, and the daemon is an FTP daemon that communicates with a recipient node and transfers data files to the recipient node.

(Amended) The system of claim [2] 1, wherein the proxy server is a SMTP proxy server that handles evaluation and transfer of messages, and the daemon is an SMTP daemon that communicates with a recipient node and transfers messages to the recipient node.

(Amended) A computer implemented method for detecting viruses in data transfers between a first computer and a second computer, the method comprising the steps of:

receiving at a server a data transfer request including a destination address;

β 5.	electronically transmitting data to the server;
6	determining whether the data contains a virus at the server;
7	performing a preset action on the data using the server if the data contains a
8	virus; [and]
9	sending the data to the destination address if the data does not contain a
10	virus[.];
11	determining whether the data is of a type that is likely to contain a virus; and
12	transmitting the data from the server to the destination without performing the
13	steps of determining whether the data contains a virus and performing a
14	preset action, if the data is not of a type that is likely to contain a virus.
(b 1 2	(Amended) The method of claim, wherein the step of scanning is performed using [in] a signature scanning process.
1 2 3	(Amended) The method of claim [9] , wherein the step of determining whether the data is of a type that is likely to contain a virus is performed by comparing an extension type of a file name for the data to a group of known extension types.
2 3	(Amended) A computer implemented method for detecting viruses in a mail message transferred between a first computer and a second computer, the method comprising the steps of: receiving a mail message request including a destination address;
β 5	electronically transmitting the mail message to a server;

	5	determining whether the mail message contains a virus, the determination of
	o. 7	whether the mail message contains a virus comprising determining
	8	whether the mail message includes any encoded portions, storing each
		N /
1	0	encoded portion of the mail message in a separate temporary rise. decoding the encoded portions of the mail message to produced decoded
1	1	portions of the mail message, scanning each of the decoded portions for
	2	a virus, and testing whether the scanning step found any viruses;
	13	performing a preset action on the mail message if the mail message contains a
	14	virus; and
	15	sending the mail message to the destination address if the mail message does
	16	not contains a virus.
- V	1 2	(Amended) The method of claim [14] 12, wherein the step of [scanning] determining whether the mail message [for] includes any encoded portions searches
!	3	
	1	(Amended) [The method of claim 14, wherein:] A computer
	2	implemented method for detecting viruses in a mail message transferred between a
	3	first computer and a second computer, the method comprising the steps of.
	4	
り	4	electronically transmitting the mail message to a server:
	(scanning the mail message for encoded portions:
		determining whether the mail message contains a virus:

8.	performing a preset action on the mail message if the mail message contains a
9	virus:
10	sending the mail message to the destination address if the mail message does
11	not contains a virus; and
12	wherein the step of sending the mail message to the destination address is
13	performed if the mail message does not contain any encoded portions;
14	the server includes a SMTP proxy server and a SMTP daemon; and the
15	step of sending the mail message comprises transferring the mail
16	message from the SMTP proxy server to the SMTP daemon [,] and
17	transferring the mail message from the SMTP daemon to a node having
18	an address matching the destination address.
	(Amended) The method of claim [18] 13, wherein step of scanning is
1	performed using [in] a signature scanning process.
2	performed using [III] a signature scanning process
1	•
2	performing a preset action on the mail message comprises performing one step from
3	the group of:

transferring the mail message unchanged;

storing the mail message as a file with a new name and notifying a recipient of

the mail message request of the new file name; and

not transferring the mail message;

38

5

6

	8,	creating a modified mail message by writing the output of the determining step
	9	into the modified mail message and transferring the mail message to the
1	10	destination address.
, dr	1 2 3	(Amended) The method of claim [18] 12, wherein the step of performing a preset action on the mail message comprises performing one step from the group of:
),,	4	transferring the mail message unchanged;
	5	transferring the mail message with the encoded portions having a virus deleted;
	6	and
	7	renaming the encode portions of the mail message containing a virus, and
	8	storing the renamed portions as files in a specified directory on the
5	9	server and notifying a recipient of the renamed files and directory; and
	10	writing the output of the determining step into the mail message in place of
•	11	respective encoded portions that contain a virus to create a modified
	12	mail message and sending the modified mail message.
8/8	1	18 23. (Amended) The apparatus of claim 22, wherein means for determining
	2	includes a means for scanning that scans the data using [in] a signature scanning
	3	process.